

Simple Cryptosystems and Attacks

Ahto Buldas

September 9, 2019

Cryptosystem

\mathbf{X} – set of all possible plaintexts

\mathbf{Y} – set of all possible ciphertexts


\mathbf{Z} – set of all possible keys

Encryption and Decryption: For every $z \in \mathbf{Z}$, there are functions

$$E_z: \mathbf{X} \rightarrow \mathbf{Y} \quad \text{and} \quad D_z: \mathbf{Y} \rightarrow \mathbf{X} ,$$

such that $D_z(E_z(x)) = x$ for every $x \in \mathbf{X}$

Encrypted Communication




Kerckhoffs assumption: If given z , attacker can compute E_z and D_z

Secrecy: Attacker must not be able to deduce x from y .

Permutation Cipher

Letters of the message are permuted

M E S S A G E ← Plaintext

S M G E E A S ← Ciphertext

X – all possible n -letter texts

Z – all possible ways of permuting the letters of the message

$$|\mathbf{Z}| = n! = 2 \cdot 3 \cdot \dots \cdot (n - 1) \cdot n$$

Substitution Cipher

Every letter is substituted with another letter, by using a table:

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
Q	F	Y	B	R	I	W	Z	D	J	G	X	O	P	K	N	V	S	A	H	C	L	T	E	M	U

For example a plaintext MESSAGE is encrypted to ORAAQWR:

M	E	S	S	A	G	E
O	R	A	A	Q	W	R

X – all possible texts

Z – all possible permutations of the 26-letter alphabet

$$|\mathbf{Z}| = 26! = 2 \cdot 3 \cdot \dots \cdot 25 \cdot 26 \approx 2^{88}$$

Shift Cipher



Circular shift of the alphabet

For example, *Julius Caesar* (100–44 a.d.) used shift by three:

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C

X – all possible texts

Z – all possible shifts of the 26-letter alphabet

$$|\mathbf{Z}| = 26$$

Computers and Cryptography

Convert letters to numbers:

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Shift cipher $y = E_z(x)$, where $x, y, z \in \{0, 1, 2, \dots, 25\}$:

$$y = E_z(x) = x + z \bmod 26 = \begin{cases} x + z & \text{if } x + z < 26 \\ x + z - 26 & \text{if } x + z \geq 26 \end{cases}$$

General shift cipher $y = E_z(x)$, where $x, y, z \in \{0, 1, 2, \dots, n - 1\}$:

$$y = E_z(x) = x + z \bmod n = \begin{cases} x + z & \text{if } x + z < n \\ x + z - n & \text{if } x + z \geq n \end{cases}$$

One-Time Pad

Use shift cipher

Encrypt every letter x with a different, independently chosen random key z

X – all possible n -letter messages: $x_1x_2 \dots x_n$

Z – all possible n -letter keys: $z_1z_2 \dots z_n$

Y – all possible n -letter ciphertexts: $y_1y_2 \dots y_n$

$$y_i = x_i + z_i \pmod{26}$$

Unbreakable: ciphertext contains no information about the plaintext, except its size


Main Attacking Strategies

- *Trial decryption*, using all possible keys. Need to recognize the right key!
- *Derivation* using plaintext-ciphertext pairs
- *Language statistics* may be transferred from plaintext to ciphertext

Passive Attacks

- *Known ciphertext*: attacker knows a ciphertext Y
- *Known plaintext*: attacker knows plaintext-ciphertext pairs $(X_1, Y_1), \dots, (X_n, Y_n)$

Active attacks: Chosen Plaintext



Active attacks: Chosen Ciphertext

