

## Task 1

Name \_\_\_\_\_

## Non-deterministic while program

Annotate and prove the correctness of program S provided the following specification is given:

$$\{x=0 \wedge n > 0\} \rightarrow \{z=n\}$$

```

S ≡
y, x, z := n, 0, 0;
*( x = 0 ∧ y > 0 → z := z + 1; x := 1
  □
  x ≠ 0 ∧ y > 0 → y := y - 1; x := 0 )

```

*Hint: use  $z+y-x = n$  as one conjunct of the invariant*

## Solution

## Annotated program:

|                                   |   |
|-----------------------------------|---|
| $P \equiv \{x = 0 \wedge n > 0\}$ |   |
| C1                                | $y, x, z := n, 0, 0;$   |
|                                   | $P_1 \equiv \{x = 0 \wedge n > 0 \wedge y = n \wedge z = 0\}$ |
| C                                 | * $I \equiv \{z + y - x = n\}$                                |
| C21                               | ( $x = 0 \wedge y > 0 \rightarrow z := z + 1; x := 1$ )       |
| C22                               | ( $x \neq 0 \wedge y > 0 \rightarrow y := y - 1; x := 0$ )    |
| $Q \equiv \{z = n\}$              |   |

Partial correctness proof:

$$\frac{
 \frac{
 \frac{\vdash x = 0 \wedge n > 0 \wedge y = n \wedge z = 0 \Rightarrow n = n}{\vdash x = 0 \wedge n > 0 \wedge y = n \wedge z = 0 \Rightarrow 0 + n - 0 = n} \text{ (subst)} \\
 \vdash x = 0 \wedge n > 0 \wedge y = n \wedge z = 0 \Rightarrow z + y - x = n
 }{1}$$

$$\frac{
 \frac{
 \frac{\vdash z + y - x = n \wedge (x \neq 0 \vee y > 0) \wedge (x = 0 \vee y > 0) \Rightarrow z = n}{\vdash z + y - x = n \wedge \neg(x = 0 \wedge y > 0) \wedge \neg(x \neq 0 \wedge y > 0) \Rightarrow z = n} \\
 \vdash z + y - x = n \wedge \neg(b_{21} \vee b_{22}) \Rightarrow z = n
 }{(\text{[. /}b_{21}, . /b_{22}\text{]})}
 }{2}$$

$$\frac{
 \frac{
 \frac{\vdash I \wedge b_{21} \Rightarrow z + y = n}{\vdash I \wedge b_{21} \Rightarrow z + 1 + y - 1 = n} \\
 \vdash I \wedge b_{22} \Rightarrow I [1/x, z+1/z]
 }{(\text{./x, ./z})}
 }{3}$$

$$\frac{
 \frac{
 \frac{\vdash I \wedge b_{22} \Rightarrow z + y - 1 = n}{\vdash I \wedge b_{22} \Rightarrow z + y - 1 - 0 = n} \\
 \vdash I \wedge b_{22} \Rightarrow I [0/x, y-1/y]
 }{(\text{./x, ./y})}
 }{4}$$

## Task 2

Name \_\_\_\_\_

### Shared variable parallel programs (interference test)

Specify assertions for interference test of the program specification

$$\begin{aligned} P_1 &\equiv \{x \leq 4 \wedge y = 2\} \\ &\quad S_1: \langle x \geq 2 \rightarrow y := y - 2 \rangle \\ Q_1 &\equiv \{y \leq x \wedge x \geq 0\} \\ &\parallel \\ P_2 &\equiv \{x \geq 0 \wedge y \geq 0\} \\ &\quad S_2: \langle x = 4 \wedge y = 1 \rightarrow z := x - 3 \rangle \\ Q_2 &\equiv \{y + 2 \leq x\} \end{aligned}$$

**S1 body does not interfere P2:**

$$\vdash \{P_1 \wedge x \geq 2 \wedge P_2\} y := y - 2 \{P_2\}$$

**S1 body does not interfere Q2:**

$$\vdash \{P_1 \wedge x \geq 2 \wedge Q_2\} y := y - 2 \{Q_2\}$$

**S2 body does not interfere P1:**

$$\vdash \{P_2 \wedge x = 4 \wedge y = 1 \wedge P_1\} z := x - 3 \{P_1\}$$

**S2 body does not interfere Q1:**

$$\vdash \{P_2 \wedge x = 4 \wedge y = 1 \wedge Q_1\} z := x - 3 \{Q_1\}$$

### Task 3

Name \_\_\_\_\_

**Parallel programs with message passing (cooperation test).**  
Specify assertions for cooperation test.

$$P_1 \equiv \{x = 5 \wedge y = 7\}$$

$$S_1 : \langle E! y - 2 \rangle; \langle x := y - 1 \rangle \{x = 6 \wedge y = 7\}; \langle C! x + 5 \rangle$$

$$Q_1 \equiv \{y < 9 \wedge x > 0\}$$

||

$$P_2 \equiv \{u = 0\}$$

$$S_2 : \langle E? u \rangle; \{u < 10\} \langle C? u \rangle$$

$$Q_2 \equiv \{u > 9\}$$

### Solution:

#### Test for channel $E$ :

$$\vdash \{ P_1 \wedge P_2 \} u := y - 2 \{ (x = 6 \wedge y = 7) [y - 1/x] \wedge u < 10 \}$$

#### Test for channel $C$ :

$$\vdash \{x = 6 \wedge y = 7\} u := x + 5 \{ Q_1 \wedge Q_2 \}$$